


S4

Imperial

FRAME SIZE LIMITS

Single | Double | Combination

centor®



Fabric Type	Frame Height (in) (FH)	Frame Width (in) (FW)		
Standard weave	32-1/8" - 126"	40" - 181-1/2"	40" - 354-13/16"	40" - 184-1/16"
	126-1/16" - 157-1/2"	39-15/16" - 118-3/16"	39-15/16" - 228-3/16"	39-15/16" - 120-3/4"
Tight weave	32-1/8" - 126"	40" - 165-3/16"	40" - 322-3/16"	40" - 167-3/4"
	126-1/16" - 157-1/2"	39-15/16" - 118-3/16"	39-15/16" - 228-3/16"	39-15/16" - 120-3/4"
Boston, Blockout	32-1/8" - 114-1/8"	40" - 99-5/8"	40" - 191-1/8"	40" - 102-3/16"
Boston, Light-filtering	32-1/8" - 114-1/8"	40" - 165-3/16"	40" - 322-3/16"	40" - 167-3/4"
Tuscany, Blockout	32-1/8" - 114-1/8"	40" - 107-13/16"	40" - 207-1/2"	40" - 110-3/8"
Tuscany, Light-filtering	32-1/8" - 114-1/8"	40" - 165-3/16"	40" - 322-3/16"	40" - 167-3/4"
Mercury, Blockout	32-1/8" - 114-1/8"	40" - 124-7/16"	40" - 240-5/8"	40" - 127"
Mercury, Light-filtering	32-1/8" - 114-1/8"	40" - 165-3/16"	40" - 322-3/16"	40" - 167-3/4"
Sun-filter	32-1/8" - 126"	40" - 178-13/16"	40" - 349-7/16"	40" - 181-3/8"

Fabric widths are established by fabric thickness. Due to variations in fabric thickness, the maximum width may not be achievable. In such cases, we offer an alternative colour and fabric type.
All screens over 204 5/16" will require frame joiners to head and sill.


S4

Metric

FRAME SIZE LIMITS

Single | Double | Combination

centor®



Fabric Type	Frame Height (mm) (FH)	Frame Width (mm) (FW)		
Standard weave	815 - 3200	1015 - 4611	1015 - 9013	1015 - 4676
	3201 - 4000	1015 - 3003	1015 - 5797	1015 - 3068
Tight weave	815 - 3200	1015 - 4197	1015 - 8185	1015 - 4262
	3201 - 4000	1015 - 3003	1015 - 5797	1015 - 3068
Boston, Blockout	815 - 2900	1015 - 2532	1015 - 4855	1015 - 2597
Boston, Light-filtering	815 - 2900	1015 - 4197	1015 - 8185	1015 - 4262
Tuscany, Blockout	815 - 2900	1015 - 2740	1015 - 5271	1015 - 2805
Tuscany, Light-filtering	815 - 2900	1015 - 4197	1015 - 8185	1015 - 4262
Mercury, Blockout	815 - 2900	1015 - 3161	1015 - 6113	1015 - 3226
Mercury, Light-filtering	815 - 2900	1015 - 4197	1015 - 8185	1015 - 4262
Sun-filter	815 - 3200	1015 - 4543	1015 - 8877	1015 - 4608

Fabric widths are established by fabric thickness. Due to variations in fabric thickness, the maximum width may not be achievable. In such cases, we offer an alternative colour and fabric type.
All screens over 5910mm will require frame joiners to head and sill.




S4

Imperial

FRAME SIZE LIMITS

Jambless | XO or OX

centor®

	Configuration	Fabric Type	Frame Height (mm) (FH)	Frame Width (mm) (FW)	Screen Stop Position (SSP)
Jambless (Full width)		Standard weave	32-1/8" - 126"	36" - 178-1/4"	N/A
			126-1/16" - 157-1/2"	35-15/16" - 114-5/8"	
		Tight weave	32-1/8" - 126"	36" - 161-11/16"	
			126-1/16" - 157-1/2"	35-15/16" - 114-5/8"	
		Sun-filter	32-1/8" - 126"	36" - 175-1/4"	
Jambless (Custom)		Standard weave	32-1/8" - 126"	36" - 401-7/8"	11 13/16" - 173-9/16"
			126-1/16" - 157-1/2"	35-15/16" - 338-9/16"	11 13/16" - 109-15/16"
		Tight weave	32-1/8" - 126"	36" - 385-5/8"	11 13/16" - 157"
			126-1/16" - 157-1/2"	35-15/16" - 338-9/16"	11 13/16" - 109-15/16"
		Sun-filter	32-1/8" - 126"	36" - 399-1/4"	11 13/16" - 170-9/16"
XO or OX		Standard weave	32-1/8" - 126"	40" - 405-15/16"	11 13/16" - 173-9/16"
			126-1/16" - 157-1/2"	39-15/16" - 342-5/8"	11 13/16" - 109-15/16"
		Tight weave	32-1/8" - 126"	40" - 389-5/8"	11 13/16" - 157"
			126-1/16" - 157-1/2"	39-15/16" - 342-5/8"	11 13/16" - 109-15/16"
		Sun-filter	32-1/8" - 126"	40" - 403-1/4"	11 13/16" - 170-9/16"

Fabric widths are established by fabric thickness. Due to variations in fabric thickness, the maximum width may not be achievable. In such cases, we offer an alternative colour and fabric type.
 All screens over 204 5/16" will require frame joiners to head and sill.




S4

Metric

FRAME SIZE LIMITS

Jambless | XO or OX

centor®

	Configuration	Fabric Type	Frame Height (mm) (FH)	Frame Width (mm) (FW)	Screen Stop Position (SSP)
Jambless (Full width)		Standard weave	815 - 3200	913 - 4528	N/A
			3201 - 4000	913 - 2912	
		Tight weave	815 - 3200	913 - 4108	
			3201 - 4000	913 - 2912	
		Sun-filter	815 - 3200	913 - 4452	
Jambless (Custom)		Standard weave	815 - 3200	913 - 10209	300 - 4409
			3201 - 4000	913 - 8601	300 - 2793
		Tight weave	815 - 3200	913 - 9795	300 - 3989
			3201 - 4000	913 - 8601	300 - 2793
		Sun-filter	815 - 3200	913 - 10141	300 - 4333
XO or OX		Standard weave	815 - 3200	1015 - 10311	300 - 4409
			3201 - 4000	1015 - 8703	300 - 2793
		Tight weave	815 - 3200	1015 - 9897	300 - 3989
			3201 - 4000	1015 - 8703	300 - 2793
		Sun-filter	815 - 3200	913 - 10243	300 - 4333

Fabric widths are established by fabric thickness. Due to variations in fabric thickness, the maximum width may not be achievable. In such cases, we offer an alternative colour and fabric type.
All screens over 5910mm will require frame joiners to head and sill.


S4

Imperial

FRAME SIZE LIMITS

Corner | Corner XO-OX

centor®



Corner	Corner XO-OX

Fabric Type	Frame Height (in) (FH)	Frame Width (in) (FW)		Screen Stop Position (SSP)
Standard weave	32-1/8" - 126"	35-7/8" - 180-11/16"	41-13/16" - 402-1/8"	11 13/16" - 173-9/16"
Tight weave	32-1/8" - 126"	35-7/8" - 164-7/16"	41-13/16" - 385-9/16"	11 13/16" - 157"
Boston, Blockout	32-1/8" - 114-1/8"	35-7/8" - 98-7/8"	~	~
Boston, Light-filtering	32-1/8" - 114-1/8"	35-7/8" - 164-7/16"	~	~
Tuscany, Blockout	32-1/8" - 114-1/8"	35-7/8" - 107-1/16"	~	~
Tuscany, Light-filtering	32-1/8" - 114-1/8"	35-7/8" - 164-7/16"	~	~
Mercury, Blockout	32-1/8" - 114-1/8"	35-7/8" - 123-5/8"	~	~
Mercury, Light-filtering	32-1/8" - 114-1/8"	35-7/8" - 164-7/16"	~	~
Sun-filter	32-1/8" - 126"	35-7/8" - 178-1/16"	41-13/16" - 399-7/16"	11 13/16" - 170-9/16"

Fabric widths are established by fabric thickness. Due to variations in fabric thickness, the maximum width may not be achievable. In such cases, we offer an alternative colour and fabric type.
All screens over 204 5/16" will require frame joiners to head and sill.



S4

Metric

FRAME SIZE LIMITS

Corner | Corner XO-OX

centor®



Fabric Type	Frame Height (mm) (FH)	Frame Width (mm) (FW)		Screen Stop Position (SSP)
Standard weave	815 - 3200	910 - 4591		1061 - 9794
Tight weave	815 - 3200	910 - 4177		1061 - 9794
Boston, Blockout	815 - 2900	910 - 2512		~
Boston, Light-filtering	815 - 2900	910 - 4177		~
Tuscany, Blockout	815 - 2900	910 - 2720		~
Tuscany, Light-filtering	815 - 2900	910 - 4177		~
Mercury, Blockout	815 - 2900	910 - 3141		~
Mercury, Light-filtering	815 - 2900	910 - 4177		~
Sun-filter	815 - 3200	910 - 4523		1061 - 10146

Fabric widths are established by fabric thickness. Due to variations in fabric thickness, the maximum width may not be achievable. In such cases, we offer an alternative colour and fabric type.
All screens over 5910mm will require frame joiners to head and sill.